

MATERIAL SAFETY DATA SHEET
(Universal Single-sided Laminated ColdForm™ – Gray)

SECTION I: IDENTIFICATION OF PRODUCT

PRODUCT NAME: Universal Single-sided Laminated ColdForm™ (Gray)

CHEMICAL FAMILY: Cellulose

PRODUCT USE: Sorbent Media

CHEMICAL NAME: Magnoliophyta Class

MANUFACTURER'S NAME: Evolution Sorbent Products, LLC

Manufacturing /Sales/Administrative Location:

1270 Nuclear Drive
West Chicago, IL 60185

Emergency Telephone Number: 1-800-615-8699

Telephone Number for Information: 1-630-293-8055

Date Prepared: December 2008

WORK PLACE HAZARDOUS MATERIAL INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: Not a Controlled Product Under WHMIS.

WORK PLACE HAZARD: Not applicable.

TRANSPORTATION OF DANGEROUS GOODS (TDG)

TDG CLASSIFICATION: Not Dangerous Goods.

PACKAGE GROUP: Not Applicable.

PRODUCT IDENTIFICATION NUMBER (PIN): Not Applicable.

SECTION II: COMPOSITION/INGREDIENTS

<u>INGREDIENTS</u>	<u>PERCENT</u>	<u>CAS NUMBER</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Cellulose Fibers	70%	N/A		
Polypropylene	15%	N/A		
Proprietary Fibers	10%	N/A		
Flame Retardant	5%	10043-35-3		
	<ul style="list-style-type: none">• Not a Hazardous Material under WHMIS• Based on 315 gsm fabric weight			

SECTION III: TOXICOLOGICAL PROPERTIES

HEALTH HAZARDS (acute or chronic): None

SIGNS & SYMPTOMS OF EXPOSURE: None

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None

SECTION IV: FIRST AID MEASURES

No special procedures required.

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOR: Gray & virtually odor free

SPECIFIC GRAVITY: 0.92 – 1.00

BOILING POINT (C): Not Applicable

MELTING POINT (C): >160 C

SOLUBILITY IN WATER: Insoluble

PERCENT VOLATILE BY VOLUME: Not Applicable

EVAPORATION RATE: Not Applicable

VAPOR PRESSURE (mm Hg): Not Applicable
VAPOR DENSITY (Air = 1): Not Applicable

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: >210 C (410F) (setchkin test)
FLAMMABLE LIMITS: Not Yet Determined
EXTINGUISHING MEDIA: Water, Foam, CO2, Dry Chemical
SPECIAL FIRE FIGHTING PROCEDURES: Standard procedures for Class A fires
UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

SECTION VII: REACTIVITY DATA

STABILITY: Stable (XX)
INCOMPATIBILITY (CONDITIONS TO AVOID): High Heat
INCOMPATIBILITY (MATERIALS TO AVOID): Acid or alkaline materials.
HAZARDOUS POLYMERIZATION: Will Not Occur (XX)

SECTION VIII: PREVENTIVE MEASURES/SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None Required
VENTILATION: None Required
PROTECTIVE GLOVES: None Required
EYE PROTECTION: None Required
OTHER PROTECTIVE EQUIPMENT (SPECIFY): None Required

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Store in dry area. Do not store near open flame, high heat or strong oxidants.
Synthetic Fibers, when heated, becomes very sticky and will burn.
Use self-contained air masks to enter smoky area in the event of fire.

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED

No special steps to be taken if material is spilled or released.

WASTE DISPOSAL METHOD

Sanitary landfill or incineration site. Disposal must be done in accordance with local, state and federal regulations.

SECTION IX: PREPARATION

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Evolution Sorbent Products makes no warranty about accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

DATE ISSUED: December 2008

PREPARED BY: Evolution Sorbent Products, LLC Phone: 630-293-8055